



File Nigeria C.

BRITISH

AMERICAN TOBACCO COMPANY LTD

Re: Mr

Southampton SO9 1PS England

Telephone 0703269 Fax 0703744112

April 1991

A.G.P.

17 APR 1991

Mr Adegbesan
British Tobacco Co
Box 137
Lagos
Nigeria

Mr Adegbesan

Letter Tar/Nicotine

Analysis

I thank you for sending the copy of the Philip Morris use in the cases. The results are revised.

copy of the Philip Morris Booklet. Both BAT and Philip Morris use the same number in the letters DIS (Draft International Standards) in which should be published in August/September 1991.

There are small modifications to the procedure and indeed some change to the status. At present we are in due course of making changes.

changes to the procedure and indeed some change to the status. I will keep you informed of the consequences of any action you should take.

From the Philip Morris independent laboratory, I suggest you keep a copy. However, I believe that your laboratory is capable and willing to provide the testing.

From this covering letter that they are offering to suggest that we could conduct tests on behalf of the Ministry. May be on this. We could, if required, also provide such a service. It would be much more preferable to persuade the Ministry that your laboratory is capable and willing to provide the testing.

Back up, you can be confident.

the fact that the Southampton laboratory is NAMAS

There is a system of assessors are at the Laboratory.

Accreditation run by the UK National Physical Laboratory. Accredited and approved and in the case of tobacco they come from the Government Chemist. The lab is inspected twice a year.

We do not hesitate to contact me again if you need further information or assistance.

contact me again if you need further information or assistance.

Sincerely

G. Millett

Pedlow, Millbank
G. Millett, Millbank

304012259