

Isoprene
Analytical information (detailed)

Smoke ☒ Green ☐ Cured ☐ Non-Leaf ☐
Itemize:

78-79-5

Quantitative (all figures)

Qualitative only ☐
Quoteints or Semi-quant.

Structural Formula

Mol. Form

Mol. Weight

M.P.

B.P.

Chem. Groups

Derivatives

Types of Tobacco (all details)

Tox.-Pharm. Inform. and other Notes

Reference

1972 #20

W9056

Artho, A.; Bonnet, J.; Koch, R.; Plantefevre, J. C.
(F. J. Burrus Cie, Boncourt, Suisse; Baumgarnter Papiers S. A.,
Lausanne, Switz.)

RETENTION OF CIGARETTE SMOKE CONSTITUENTS AS INFLUENCED BY TYPE OF
TOBACCO BLEND AND FILTERING MATERIAL.

CORESTA/TCRC Joint Conf., , paper, Williamsburg, Va. (Oct. 22-28,
1972) (in French)

Abstr. in: CORESTA Inform. Bull. 1972 (Special) 82 (1972)

Bibliography:

If there is not sufficient space available for any of the categories, use reverse side, identifying category(ies), and write "over" on this side. List all answerable information for each constituent and do so in index style.

dd 10/30/72

